

Base Model: 4SR2SG228 HORSE TRAILER 4-Star Trailers, Inc.

HTXG2S258069 Serial No: 41775 Model: HTXG28

HEIGHT: 8'0"

LENGTH: 24'6"

WIDTH: 6'10"

NED ICS

Jig: 2

5/26/23 Date: 2/24/23

42° WIDE X 60° TALL ..99 OF STREET 200000 60" WIDE 102" 36" 84" 24" X 48" ALL MEASUREMENTS ARE APPROXIMATE BOT TALL

4 111	4-Star	Trailers,	Inc.
	BASE M	ODEL : 4SP2	SG228

2+1 HORSE TRAILER

Serial No:			41775	
Model:		HTXG2S258069		
	Jig:	2	Date:	2/24/23

Customer:

4-STAR / C TO C / W.E.C.


Jig:_

Date: 2/24/23

5/23/23

SEE DRAWING

	MEASUR idth	REMENTS ARE APPROXIMATE . 6'10"(D) Lend	gth: <mark>24'6"</mark> Heig	aht:	8'0"		
1		ler Assy: 2 5/16" ADJUSTABLE	Juli nei	giit.			
2			AULIC JACK W/BATTERY BOX & B	ATTE	RY WIRED UP	***ALL SMOOTH SKIN TO	
3		rame Assy:			Overhang:	BE CLEAN COAT***	
4			Type: TORSION Brakes: ELECTF	RIC I			
5		: 235/80R 16, 10-PLY			re:YES		
6		els: 16 X 6 ALUMINUM					
7			OOSENECK W/REINFORCEMENT*				
8	1,4700,404,4	Assy: SMOOTH RIBBED ALUM					
9	GN S	Side Assy: TAPER 12" EACH SID	E W/WINDOWS				
10	D	rop Ht: 50 7/8" *DOUBLE WALL	, INSULATE, LINE & RUBBER DROI	P* - S	EE LINE 32		
11	Side		48" *CENTERED IN STALL* WINDO				
12		SS: SKIN @ TOP W/24"X4	48" *CENTERED IN STALL* WINDO	W W/	BARS - SEE LINE 33, 35 & 36		
13		:SKIN W/POLISHED CORNER	CONTRACT CON				
14			TH OF TRAILER INCLUDING GOOS			Top Rail Lgth=	
15	Rear	Doors: 60" TALL X FULL WIDTH	HEASY LIFT RAMP W/DUTCH DOO	RS &	WINDOWS		
16		Door: NONE		-7.4			
17	Walk	-Thru Door: TWO (2): (1) CS TO	START @ DROP & (1) SS BULKHE	AD W	ALL - SEE LINE 41 & 42	A STATE OF LINE 12	
18	18 Divider: (1) QUIET RIDE *ROLLING DIVIDER* W/WITHER SHIELD & ATTACHED HEAD SHIELD & FULL @ BOTTOM W/RUBBER BOTH SIDES - SEE LINE 43						
19	19 Domelights: FOUR (4) 6" X 18" OPTRONIX L.E.D. LIGHTS CENTERED IN ROOF - SEE DRAWING						
20							
2000000	21 (5) LIGHT EACH TOP RAIL & (3) LIGHT CLUSTER						
	 D.O.T. Tape:YES Custom Graphics: SEE LINE 44 X Bulkhead Wall: PERM. STRAIGHT W/DOOR - SEE LINE 45 X Two-Way Roof Vents (6): SEE DRAWING 						
23	Acres 6	A COMPUTED TO A CONTROL OF THE PARTY OF THE		NO	Two-Way Roof Vents (6): Floor Mats:	NONE - SEE LINE 46	
24	-	Feed Bags:	NONE		Rubber Bulkhead Wall:	SEE LINE 47	
25		Inside Ties (11):	SEE DRAWING	-	Rubber Side Walls:	SEE LINE 47	
26	_	Outside Ties (3):	(1) CS & (2) SS		Rubber Wheel Wells:	NONE	
27		Butt Bar (2):	QUIET RIDE		Carpet: GNF:	NONE	
28		Breast Bar (2):	QUIET RIDE	0.0	CONDENSE: 30m, 1 h	GOOSENECK (SEE DRAWING)	
29	A Caddic Fide No. 17 (2) PLIL KHEAD WALL TOWARD SS					JLKHEAD WALL TOWARD SS	
30	_		NHEAD WALL TOWARD 33	Λ.	Bridie Hooks (10).		
31 32		IONS:					
33							
35	60" T	TALL X 42" WIDE FASY LIFT SI	DE RAMP W/DUTCH DOOR W/WINI	DOW	@ SS TO START 20" B.O.D. W/S	INGLE PIPE HARDWARE	
36	AND A STATE OF THE						
37							
38							
39		PAGE 2					
VIN			BY:		DATE:	CHKD:	



2+1 HORSE TRAILER

Serial No: 41775

Model: HTXG2S258069

40	OPTIONS CONTINUED:					
	1 WALK-THRU DOORS W/DROP DOWN W/WINDOW & DROP DOWN WINDOW BARS& SINGLE BUTTERFLY LATCH					
	(2) FOLD DOWN STEPS: (1) @ CS WALK-THRU DOOR & (1) @ SS WALK-THRU DOOR					
	(1) ADDITIONAL DIVIDER SETTING @ SS HORSE COMPARTMENT WALL					
44	GRAPHICS: (3") SMOKE MET. / (7/8") HUNTER GREEN MET. / (3") CHAMPAGNE MIST MET STRAIGHT LINES W/TAPE ON REAR					
45	WALK-THRU DOOR (24" CLEAR) IN BULKHEAD WALL TO START 8" OFF CS WALL					
46	W.E.R.M. SEALED RUBBER FLOORING (BLACK) FULL LENGTH OF TRAILER					
	DOUBLE WALL, INSULATE, LINE & RUBBER BULKHEAD WALL *SAME HEIGHT AS SIDE WALLS*					
	(1) 5 FT. CLOTHES ROD @ SS IN GOOSENECK "ROD TO START 12" IN FRONT OF DROP" - SEE DRAWING					
49						
50						
51						
52						
53						
54						
55						
56						
57						
58						
59						
60						
61						
62						
63						
64						
65						
66						
67						
68						
69						
70						
71						
72						
73						
74						
75						
76						
77						
78						
79						
80						
81						
82						
83						
84						
85						
86						
87						
88						
89						



(800) 848-3095

Sales Order 0009193

Job Number 41775

Time Modified 3/2/2023

2:30:13PM

Time Created 2/24/2023

2:52:57PM

Dealer Number: 0000999 4 STAR TRAILERS 10000 NW 10th STREET Oklahoma City, OK 73127-7125 (405) 324-7827

Customized For: C TO TO / WEC

Trailer Detail

Category

6' 10" Straight Load

Base Model

4SR2SG228

Trailer Quantity

1

Description

22' x 6'10" x 7'6" Tall 2 Horse Straight Load 2+1 GN - Two 4900# Torsion 102" Axles w/ Electric Brakes, Five 10 Ply Radial Trailer Tires, 16" Aluminum Wheels, 2 5/16" Adjustable Coupler, Single Drop Leg, Removable Jack Handle, Tapered Gooseneck w/ Windows, Polished Cast Corner Caps, Pre-Painted White Exterior on Smooth Aluminum Full Height & Full Length, 4' Front Dressing Room, Dressing Room Door w/ Window, Carpet GNF, Drop & Floor, Walk-Thru Door w/ Window w/ Single Butterfly Latch SS At Bulkhead Wall with Breast Bar, 60" x 60" Wide Easy Lift Side Ramp w/ Dutch Door w/ Window At CS w/Single Pipe Hardware, Drop Down Windows w/ Drop Down Window Bars At Head of Stall CS and SS, 24" x 36" Double Sliding Window At Hip Each Horse, Full Width 60" Rear Easy Lift Ramp w/ Dutch Doors w/ Windows, Permanent Bulkhead Wall w/ Walk-Thru Door, (2) Full Height Stud Doors w/Air Flow (Bars) w/Removable Center Post, Smooth Ribbed Aluminum Floor, Floor Mats Horse Compartment Only, Insulated & Double Walled on Side Walls of Horse, Rubber Lined Walls in Horse Compartment, One Quiet Ride Divider w/ Wither Shield & Swinging Head Shield , Two Way Roof Vent Per Horse, 5 Inside Trailer Ties, 3 Outside Trailer Ties - 1 At CS, 2 At SS, 2 Breast Bars, 2 Butt Bars, 3 L.E.D. Dome Lights, 2 Permanent Saddle Racks, 6 Bridle Hooks, 1 Brush Tray, 1 Blanket Bar, High Turn Signals, L.E.D. Lighting, D.O.T. Tape, Custom Graphics

Option #	Qty Categor	Description	Unit	Unit Price E	xtended
2103	18.00 FOOTAG	E Add 1" to 6'10" horse trailer dressing room 6" increments- 6'10" Only	EACH	70.50	1,269.00
2110	12.00 FOOTAG		EACH	94.52	1,134.24
2400	24,50 HEIGHT	Add 6" to Height of Trailer	EACH	62.41	1,529.05
2468	1.00 JACK	8000# Hydraulic Single Landing Leg Jack - Include Battery & Box Wired Up	EACH	2,174.87	2,174.87

Continued

2



4-Star Trailers, Inc. 10000 NW 10th St Oklahoma City, OK 73127-7125 (405) 324-7827 (800) 848-3095 Sales Order 0009193

Job Number 41775

Time Modified 3/2/2023

2:30:13PM

Time Created 2/24/2023

2:52:57PM

Dealer Number: 0000999 4 STAR TRAILERS 10000 NW 10th STREET Oklahoma City, OK 73127-7125 (405) 324-7827

Customized For: C TO TO / WEC

			Oustonnized For: O FO FO FIFE			
1215	1.00	AXLE	Torsion 2-7000 lb w/ 5 235/80R16 10 ply tires ILO 4900	EACH	571.19	571.19
2234	1.00	GOOSENEC	Gooseneck 96" neck w/ Reinforcement	EACH	561.70	561.70
3010	38.00	SKIN	Clean Coat	EACH	76.89	2,921.82
3508	1.00	WINDOW	15 in. x 34 in. window - 1/2 slider	EACH	355.47	355.47
3528	2.00-	WINDOW	24 in. x 36 in. window - 1/2 slider	EACH	573.91	1,147.82-
3530	3.00	WINDOW	24 in. x 48 in. window - 1/2 slider	EACH	647.17	1,941.51
2890	1.00	REINFORCE	Aluminum Reinforcement Hucked to Outside of Bottom Rail	EACH	445.01	445.01
2903	390.00	ROOF	Line and insulate roof	EACH	8.12	3,166.80
1806	1.00-	DOOR - DRE	Large walk-thru door for tack and dressing room	EACH	1,343.19	1,343.19-
1850	2.00	DOOR - DRC	Drop down door w/ window ILO standard window	EACH	720.43	1,440.86
1400	1.00	BAR	Add bars to window	EACH	90.90	90.90
1402	2.00	BAR	Drop down window bars for drop down feed doors	EACH	238.80	477.60
1903	1.00	DOOR - ESC	Large Escape Door at First Horse	EACH	1,290.26	1,290.26
1710	1.00	DIVIDER - SI	Full divider-bottom only	EACH	424.67	424.67
1784	1.00	DIVIDER - S	Rolling Quiet Ride Divider- Includes 1additional setting	EACH	1,228.95	1,228.95
2150	1.00	GATE - DRO	Drop partition	EACH	340.55	340.55
2530	1.00	LATCH	Add Single Pipe Hardware to Door ILO Pressure Latch	EACH	225.21	225.21
2554	3.00-	LIGHT	L.E.D. Dome Light	EACH	56.97	170.91-
2559	1.00-	LIGHT	L.E.D. loading light	EACH	112.62	112.62-
2572	7.00	LIGHT	L.E.D. additional marker light	EACH	40.71	284.97
2578	4.00	LIGHT	Optronix LED Interior Rectangular Light - 1100 Lumens	EACH	134.32	537.28
2579	4.00	LIGHT	Lights centered in roof of trailer - each	EACH	105.00	420.00
2591	2.00	LIGHT	11" L.E.D. Awning Light	EACH	71.91	143.82

Continued



4-Star Trailers, Inc. 10000 NW 10th St Oklahoma City, OK 73127-7125 (405) 324-7827 (800) 848-3095

Sales Order 0009193

Job Number 41775

Time Modified 3/2/2023

2:30:13PM

Time Created 2/24/2023

2:52:57PM

Dealer Number: 0000999 **4 STAR TRAILERS** 10000 NW 10th STREET Oklahoma City, OK 73127-7125 (405) 324-7827

Customized For: C TO TO / WEC

2592	2.00	LIGHT	18" L.E.D. Awning Light	EACH	97.68	195.36
2803	1.00	RAMP - REA	Side or rear ramp over 52 in. tall	EACH	402.96	402.96
2821	1.00	RAMP	Easy Lift Ramp Upcharge	EACH	404.33	404.33
2840	1.00	RAMP - SIDE	Spring Loaded Side Ramp w/ 1 Dutch Door Above (Up to 5' Wide)	EACH	2,610.38	2,610.38
3315	14.00	WALL - LININ		EACH	81.41	1,139.74
3110	1.00	TACK	Clothes rod 5' only	EACH	122.11	122.11
3134	6.00	TACK	Trailer ties inside & out	EACH	10.84	65.04
3250	4.00	VENT	Two way roof vents	EACH	173.67	694.68
2922	171.50	RUBBER	WERM Sealed Rubber Floor ILO Std. Mats	EACH	21.07	3,613.51
2932	5.50	RUBBER	ILO dressing room astro-turf. Gooseneck floor, drop & floor	EACH	43.48	239.14
2934	3.00	RUBBER	Rubber (36" tall) both sides of removable or permanent full to floor divider	EACH	364.87	1,094.61
1603	1.00-	CARPET	Carpet drop	EACH	151.49	151.49-
2953	1.00	SADDLE	Removable Saddle Rack Post	EACH	151.96	151.96
3096		STEP	Fold down step	EACH	465.37	930.74
SPECIAL		SPECIAL	Q/R STUD DOORS ILO STD			1,562.00

\$49,478.14
\$33,276.26
\$82,754.40
\$0.00
\$82,754.40

Disclaimer:

ALL PRODUCTS AND PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE. CALL IF YOU HAVE QUESTIONS.